

PUBLIC

AUCTION

CORPORATE ASSETS INC



Former Assets of
TEXTRON FASTENING SYSTEMS

AUCTION: Tuesday, July 25, 2006, 10:30 A.M.
1825 North Theobald Street, Greenville, Mississippi 38703-2203

"Let Our Experience Be Your #1 Asset"TM



NEDSCHROEF BV5E LS boltmaker

BOLTMAKERS

1998 NEDSCHROEF BV5ELS 4 die, long stroke $\frac{3}{4}$ " high speed boltmaker with max. cutoff dia. 20mm @ 35,000psi, max. cutoff length 215mm, max. die kick out 185mm, dia. of die 100mm, punch dia. 85mm, heading load 230 metric tons, ppm 135 variable, PKO all stations, pointer, threading, head or trim in 4th, sound enclosure, timed individual finger transfer, 460/3/60, s/n BV531

1998 NEDSCHROEF BV5ELS 4 die, long stroke $\frac{3}{4}$ " high speed boltmaker with max. cutoff dia. 20mm @ 35,000psi, max. cutoff length 215mm, max. die kick out 185mm, dia. of die 100mm, punch dia. 85mm, heading load 230 metric tons, ppm 135 variable, PKO all stations, pointer, threading, head or trim in 4th, sound enclosure, timed individual finger transfer, 460/3/60, s/n BV532

1994 NEDSCHROEF BV5 $\frac{3}{4}$ " 4 die, high speed boltmaker with max. cutoff dia. 20mm @ 85,000psi, max. cutoff length 190mm, max. die kick out 160mm, die dia. 100mm, punch dia. 85mm, PKO stroke 48mm, total heading load 230 metric tons, ppm 145 variable, timed individual finger transfer, PKO all stations, pointing and threading, head or trim in 4th, sound enclosure, s/n BV524

1997 NEDSCHROEF BV5 $\frac{3}{4}$ " 4 die, high speed boltmaker with max. cutoff dia. 20mm @ 85,000psi, max. cutoff length 190mm, max. die kick out 160mm, die dia. 100mm, punch dia. 85mm, PKO stroke 48mm, total heading load 230 metric tons, ppm 145 variable, timed individual finger transfer, PKO all stations, pointing and threading, head or trim in 4th, sound enclosure, s/n BV529



NEDSCHROEF BV5E LS boltmaker



NEDSCHROEF BV5 boltmaker

This brochure is only a partial listing VISIT OUR WEBSITE FOR

BOLTMAKERS, continued

1991 NEDSCHROEF BV5 ¾" 4 die, high speed boltmaker with max. cutoff dia. 20mm @ 85,000psi, max. cutoff length 190mm, max. die kick out 160mm, die dia. 100mm, punch dia. 85mm, PKO stroke 48mm, total heading load 230 metric tons, ppm 145 variable, timed individual finger transfer, PKO all stations, pointing and threading, head or trim in 4th, sound enclosure, s/n BV520

1997 NEDSCHROEF NEDFORM NB4 16 ¾" 4 die, high speed boltmaker with max. cutoff dia. 16.5mm, max. cutoff length 170mm, max. kick out 140mm, min. length 18mm, min cutoff length 30mm, dia. die 90mm, punch dia. 80mm, PKO stroke 38mm, heading load 150 metric tons, ppm 180 variable, PKOP, IFO transfer, pointer, threader, s/n NH41614

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:

2 St. Clair Ave. W., Suite 1002,
Toronto, Ontario, Canada M4V 1L5


Tel: (416) 962-9600

Fax: (416) 962-9601

Email: info@corpassets.com

Web: www.corpassets.com

Toronto – Montreal – Chicago



NEDSCHROEF BV5 boltmaker

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.



NEDSCHROEF BV5 boltmaker



NEDSCHROEF NB4 boltmaker

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com



1997

NEDSCHROEF BV4 boltmaker

BOLTMAKERS, continued

1997 NEDSCHROEF BV4 3/8" 4 die, high speed boltmaker with max. dia. cutoff 15mm, M8-M14 hex bolts, M12 flange bolts, max. bolt length 125mm, 180ppm variable, max. cutoff length 150mm IFO, sound enclosure, PKO, pointing, threading, s/n BV440

1999 NEDSCHROEF BL4 3/8" 4 die, high speed boltmaker with dia.. range M6 -M16, max. bolt under head 300mm, max. cutoff 340mm, min. bolt length 65mm, ppm90, sound enclosure, s/n BL4259

1989 NEDSCHROEF BL4 3/8" 4 die, high speed boltmaker with dia. range M6 -M16, max. bolt under head 300mm, max. cutoff 340mm, min. bolt length 65mm, ppm90, sound enclosure, s/n BL40889



1995

NEDSCHROEF NH4 progressive header



1999

NEDSCHROEF BL4 boltmaker



1989

NEDSCHROEF BL4 boltmaker

This brochure is only a partial listing VISIT OUR WEBSITE FOR

PROGRESSIVE HEADERS

1995 NEDSCHROEF NH416 ¾" 4 die, high speed progressive header with max. cutoff dia. 16.5mm, max. cutoff length 170mm, max. dick 140mm, min. length 18mm, min. cutoff 30mm, die dia. 90mm, punch dia. 80mm max. PKO stroke 38mm, forging load 150 metric tons, ppm 180 variable, 460/3/60, PKO, IFO transfer, trim, sound enclosure, s/n NH41602

1995 NEDSCHROEF HBL423 ¾" 4 die, long stroke, high speed progressive header with max. bolt length 300mm, max. cutoff 340mm, dia. range M6-M16, 65mm min length, 90ppm variable, sound enclosure, s/n HBL42395



ASAHI OKUMA AOT 12XL progressive header

1991 NATIONAL FORMAX FX44L ½" 4 die, high speed progressive header with total heading load 80 metric tons, 200 SPM variable, max. cutoff dia. 0.583" @ 85,000psi, cutoff length 0.476"/6.22", kick out 0.787"/4.92", Forma-pak, 2,000 lb. jib crane, sound enclosure, micro position monitor, machine has trim w/heading and trim toolpaks, s/n 20889

1989 ASAHI OKUMA AF-1414-3-HS ½" 3 die, high speed progressive header with max. dia. @ 100,000 psi .551", min. cutoff length 0.787", max. cutoff length 7.087" max. kick out 5.511", tonnage 130 ton, s/n AF-1414-3-2-004


1988 ASAHI OKUMA AOT12XL ½" 2 die, 2 blow, long stroke, progressive header with max. cutoff length 9¾", max. kick 7½", 100ppm, OSG monitor, s/n 1014



ASAHI OKUMA AF-1414-3 HS high speed progressive header



NATIONAL FORMAX FL44L progressive header



NEDSCHROEF HBL4 progressive header



1996

NATIONAL FORMAX FX32L progressive header

PROGRESSIVE HEADERS, continued

1991 NATIONAL FORMAX FX35M 5 die, progressive header with 100/300ppm variable, 8-75mm kick out, 10-100mm cutoff, 60mm dia. die, 50mm dia. punch, has trim but no tool pak furnished, exhaust blower, s/n 24658

1990 NATIONAL FORMAX FX34L 4 die, progressive header with 16-100mm kick out, 10-125mm cutoff, 60mm dia. die, 50mm dia. punch, 50-255ppm, blank length monitor, exhaust blower, trim but no trim tool pak furnished, s/n 20828

1996 NATIONAL FORMAX FX32L 2 die, progressive header with micro position monitor, 255ppm, 16-100mm kick out, 10-125mm cutoff, 60mm dia. die, 50mm dia. punch, exhaust blower, s/n 24768

COLD FORMERS

1976 NATIONAL 1000, 6 die, universal transfer cold former with 40-50ppm, max. cutoff 1 1/2" mild, 1" alloy, max. blank 5", max. kick 6", s/n 38520

1986 NATIONAL 500 5 die, universal transfer cold former with 100ppm, max. cutoff dia. 3/8" mild, 1/2" alloy, max. blank 1 1/2", max. kick 2", s/n 38833



1991

NATIONAL FORMAX FX35M progressive header




1990

NATIONAL FORMAX FX34L progressive header



NATIONAL 1000 CF cold former



1986

NATIONAL 500 CF cold former

This brochure is only a partial listing VISIT OUR WEBSITE FOR

TUBULAR RIVET HEADERS

CARLO SALVI #246TR 2 die 4 blow tubular rivet header with max. shank 60mm, max. cutoff 75mm, max KO 85mm, 250ppm, s/n 1859

WATERBURY #2 2 die 4 blow tubular rivet header with ¼" max. shank 2¾", max. cutoff 2¾", 90ppm

COLD HEADERS

1997 ASAHI SUNAC #RH120 ½" 2 die, 3 blow, cold header with max. cutoff dia. 1½", max. cutoff length 4½", max. kick 5½", PKO, 1200kn forging power, 120ppm, s/n RH120-17-044

1974 NATIONAL #68 DSSD ⅝", high speed, long stroke cold header with PKO, 150ppm, ½" max. cut-off @ 85,000psi, max. length under head 4", max. blank 5½", s/n 34907




CARLO SALVI 246TR tubular rivet header




NATIONAL 68 LS high speed long stroke cold header



< **NAKASHA MADA PF630** cold header



> **NATIONAL #56 ⅝" LS** long stroke cold header



NATIONAL 45 MS HS high speed cold header


1970 NATIONAL #56 ⅝", long stroke DSSD cold header with 150ppm, ⅝" cutoff dia., 3¼" under head, 4½" blank, s/n 33152

NATIONAL #16, high speed, DSSD cold header, 250ppm, 2¾" max. blank, 1½" under head, s/n 32940

1973 NATIONAL #45 high speed, medium stroke DSSD cold header with PKO, ¼" cutoff dia., max. blank 3", max. under head 2", s/n 34678

1983 NAKASHIMADA #PF630 2 die, 3 blow cold header with 6mm cutoff dia., 40mm cutoff length, 30mm shank, PKO, 50-170ppm, s/n 830295

NATIONAL #25 high speed, DSSD cold header, ⅝" cutoff dia., 450ppm, 1" under head, 1⅝" blank, s/n 41127



ASAHI SUNAC RH 120 cold header

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.



HARTFORD 40-140 thread roller



SASPI GV-6-50-S1D thread roller

THREAD ROLLERS

2001 SASPI GV-6-50-S1D thread roller with 22mm capacity 8-22mm dia., length 20-200mm, 30-140ppm, sems unit, BRANKAMP monitor, 30" ALTRATECH vibratory hopper, 16' AURORA parts conveyor, magnetic products washer conveyor, s/n 927

WATERBURY #50 incline thread roller with ¾" dia., 5" max. thread length, 8" max. shank, 60ppm, ACTEC variable speed, TRABON lube, 15' loader

HARTFORD #40-140 ¾" thread roller with Reed Rico MN 40-140, ⅝"-¾" dia., 4½" thread length, 6" shank, 90-140ppm, s/n 02364; SASPI sems unit WAU/S3D, s/n 685; 1996 SPECTRUM MN 1275HD 36" vibratory feeder, s/n 4804; WARREN loader WL100, s/n 0697145

1997 SASPI GV-5-40 thread roller with 18mm dia., 15mm-200mm shank, 40-160ppm, S1D 24" vibratory bowl, BRANKAMP parts conveyors, s/n 747

1997 SASPI GV-5-40 thread roller with 18mm dia., 15mm-200mm shank, 40-160ppm, S1D 24" vibratory bowl, BRANKAMP parts conveyors, s/n 666

1958 WATERBURY #40 horizontal hand feed thread roller with ⅝" adj. pitman, 4½" thread length, 50ppm, s/n 1798579976312

(4) HARTFORD #30-180 thread rollers, (2) with Sems, ⅝" dia., ⅝"-¾" dia., 4½" thread length, 6" max. shank, 90-180ppm, AURORA or WARREN loaders, s/n 30-145-9, Sems s/n 30-186-15, Sems s/n 30-141-8, s/n 30-113-4

(2) WATERBURY #30 incline thread rollers with ½" dia., 4" max. thread, 8" max. shank, 80ppm, machine #382 pp transfer, 36" vibratory bowl, KACTEC variable speed, 36" vibratory

(2) WATERBURY #30 horizontal hand feed thread rollers with ½" dia., 4" max. thread, 60ppm, adj. pitman

WATERBURY #20 horizontal hand feed thread roller with adj. pitman, ⅝" dia., 3" thread max., 60ppm

WATERBURY #20 incline thread roller with ⅝" dia., 3" max. thread, 8" max. shank, 100ppm, heavy frame, pp transfer, 21" vibe bowl, AB control, Suetec Hi-Roll sensor, s/n 167908110

HARTFORD #20-225 thread roller with ¼"-½", 3" max. thread, 4" max. shank, 135-225ppm, s/n 2-303-31

2000 KYOEI SANRITSU 1015 SR15 thread roller, s/n 150100233



WATERBURY FARREL #50 incline thread roller



REED R8 thread roller

1992 SANMEI #20 thread roller with ⅝" dia., Sems, #12R, (2) 22" vibratory bowls, s/n RE920309

HARTFORD #10-400 thread roller with #6 ⅝", 3" thread, 4" shank, 200-400ppm, s/n 35-628-28

SANMEI #10 threadroller with TH1-10R, Sems, (3) TRABON vibratory bowls, max. monitor, loader, s/n RD89032

1997 SANMEI #10 thread roller with THI-R875, Sems, (2) 18" vibratory bowls, WARREN loader, s/n RC9702009

WATERBURY #1015 THREADMASTER thread roller with 15" vibratory bowl, Schwer & Kopka monitor, 1½" thread, 2½" shank, 500ppm, s/n 0522-1410133

1958 WATERBURY #10 incline thread roller with Hy Frame, 21" vibratory bowl, ⅝" dia., 2" max., 150ppm

1958 WATERBURY #10 incline thread roller with Hy Frame, 21" vibratory bowl, ¼" dia., 2" max., 150ppm

This brochure is only a partial listing VISIT OUR WEBSITE FOR



1997

SASPI GV-5-40 thread roller

THREAD ROLLERS, continued

- WATERBURY #10** horizontal hand feed thread roller with ¼" dia., 2" max thread, 60ppm, s/n 768501395
- REED #R8** thread roller with 21" vibratory bowl, Schwer & Kopka monitor, 10-400 model, ⅜"-1¼" thread, 4" shank, 200-400ppm, s/n 089853
- WARREN WT1000** thread roller with Impax 2000 monitor, 21" vibratory bowl, ¼" dia., 2" thread and shank length, 1,000ppm, s/n 089853
- HARTFORD/NATIONAL #000-1000** thread roller with 0.045-0.125", ⅙" length thread, 1" shank, 350-1,000ppm, s/n 11010100220
- (2) WATERBURY #0** incline thread rollers, ⅝", 1½" shank and thread length, 175ppm, 16" vibratory bowls

PROXY BIDDING: If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.



<
WATERBURY FARREL #40
horizontal thread roller



>
KYOEI SANRITSU 1015 SR15
thread roller



WATERBURY FARREL #30 incline thread roller



WATERBURY FARREL #20
horizontal thread roller



SANMEI THI-R875
thread roller

1997



SASPI GV-5-40 thread roller



WATERBURY FARREL #20
incline thread roller



HARTFORD 30-180 thread roller



HARTFORD 30-180 thread roller



1992

SANMEI #20 thread roller

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com

CYLINDRICAL DIE THREAD ROLLERS

1998 TESKER #200 cylindrical die thread roller with 15 HP, 2" dia., max. rolling pressure 24,000 lbs., 2 die, spindle amp 20, 22" vibs bowl

REED #A22HB 3 die, cylindrical die thread roller with infeed 1/4"-3/4", 1/2"-1" thru feed, up to 14" thru feed, spindle dia. up to 2 1/2", s/n 1424

POINTERS

1993 NEDSCHROEF #PL408 pointers, M6-M16 dia., 300mm length, s/n PL40993

1993 NEDSCHROEF #PL409 pointer, M6-M16 dia., 300mm length, s/n PL40898

RMG #HPP100 hydraulic push pointer, 0.05"-1" wire dia., 30,000 lbs. max. push force, s/n 91652668

(2) OPTICAL BORING 15 high speed pointers, s/n OBO 699-140, OBO 699-138



1998

TESKER 200 cylindrical die thread roller



REED A22 HB cylindrical die thread roller




6 AVAILABLE

View of butt welders



1993

NEDSCHROEF PL408 pointer



1991

RMG HPP100 push pointer



LARGE ASSORTMENT

View of wire drawers & payoffs

WIRE DRAWERS & PAYOFFS

(5) 1991 to 2001 RMG 20,000 lb. drawing force, 44" capstan wire drawers, 0.866" mild steel #1214-60133-73, s/n 98125660, #1214-60133-73, s/n 98094585, #1214-40131-73, s/n 91632626, #1214-60133-73, s/n 02065349, #1214-50125-73, s/n 94113312



1998

RMG 1214-60-133-73 wire drawer



1994

RMG 1214-50-125-73 wire drawer




2002

RMG 1214-60-133-73 wire drawer

This brochure is only a partial listing VISIT OUR WEBSITE FOR

WIRE DRAWERS & PAYOFFS, continued



RGM 1216-02 power uncoiler



RMG 1011-50-113-73 wire drawer



Double saddle wire payoff



RMG 1011-50-131-73 wire drawer



Z type wire payoff

(6) 1989 to 2002 RMG 16,000 lb. drawing force, 44" capstan wire drawers, 0.700" mild steel, #1011-50113-73, s/n 97054164, #1011-50131-73, s/n 89092331, #1011-50131-73, s/n 95113687, #1011-50133-73, s/n 99044723, #1011-50133-73, s/n 02065350, #1011-40127-73, s/n 95113686

(4) 1986 to 1997 RMG 8,500 lb. drawing force, 36" capstan wire drawers, 0.562" mild steel, #89-2071-67, s/n 86081535, #89-30133-70, s/n 91062667, #89-1566-67, s/n 97074219, #89-25109-70, s/n 88082023

(9) Assorted Wire Drawers including FE, 28" capstan, FE-30" capstan, FE-24" capstan, RMG #67-201-06-87, s/n 010055253, FE-28" capstan, RMG#23-0254-87, s/n 0012-51-63, TMG#T67-20121-67, s/n 90072469

(2) RMG #1216-02 4,000 lb. capacity power uncoilers with 1" max. wire size, s/n 9812503, 9809493

RMG (5) Wire Pay-off Z type

RMG (7) Wire Pay-off double saddle

ALSO (8) MICROWELD butt welders including #HX 1/8"- 3/4", s/n35530, #HX, s/n 35922, #J5S 0.06-0.250", s/n 33761, #HX, s/n N/A, FE #BW875, s/n 7977425, #J5S, s/n 32361; large assortment of bowl feeders

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.



RMG 1011-40-127-73 wire drawer



RMG 1011-50-113-73 wire drawer



RMG 1011-50-113-73 wire drawer



RGM 67-20106-87 wire drawer



RGM 23-0254-87 wire drawer



RGM 89-2071-67 wire drawer



RGM 1216-02 power uncoiler



RGM 89-1566-67 wire drawer



CINCINNATI 325-12 centerless grinder



MIYANO BNC-34T CNC lathe

CNC LATHES

1997 MIYANO BNC-34T CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4 $\frac{3}{4}$ " max. turning capacity, 6 station turret, 10 HP drive, s/n BN3430TU

1997 MIYANO BNC-34T CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4 $\frac{3}{4}$ " max. turning capacity, 6 station turret, 10 HP drive, s/n BN3451TU

1996 MIYANO BNC-34A CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4 $\frac{3}{4}$ " max. turning capacity, 6 station turret, 10 HP drive, s/n BN3210AU

MIYANO BNC-34T CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4 $\frac{3}{4}$ " max. turning capacity, 6 station turret, 10 HP drive, s/n BN30538T

MIYANO BNC-34A CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4 $\frac{3}{4}$ " max. turning capacity, 6 station turret, 10 HP drive, s/n BN3C986C

MIYANO BNC-20T CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4" max. turning capacity, 6 station turret, 5 HP drive, s/n BN20248T

MIYANO BNC-20T CNC lathe with FANUC OT control, 1 $\frac{1}{16}$ " bar capacity, 4" max. turning capacity, 6 station turret, 5 HP drive, s/n BN20226T



MIYANO BNC-20T CNC lathe

AUTOMATICS

(5) ACME GRIDLEY HSC6 multi spindle automatic chuckers with 2 $\frac{3}{8}$ " capacity, s/n 58215, 58399, 58400, 58112, 58340

(8) BROWN & SHARPE 2G 1 $\frac{1}{8}$ " single spindle automatic screw machines with ALLEN BRADLEY MICROVIEW controls, s/n 542-2-8791, 542-2-7438, 542-2-7783, 542-2-1137, 542-2-980, 542-2-1545, 542-2-1430, 542-2-1362, N/A

BROWN & SHARPE 2G single spindle automatic screw machine with 1 $\frac{1}{4}$ " capacity, s/n N/A

(4) BROWN & SHARPE OG $\frac{3}{4}$ " single spindle automatic screw machines with ALLEN BRADLEY MICROVIEW controls, s/n 542-0-1433, 542-0-812, 542-0-845, 542-0-31



ACME GRIDLEY HSC 6 automatic 6 spindle chucker



BROWN & SHARPE 2G single spindle automatic screw machine

PROXY BIDDING: If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

MACHINE SHOP EQUIPMENT

2001 CLAUSING/KONDIA CNC vertical turret mill with ACCURITE CNC control, power draw bar, s/n 10218

2001 PARAGON GU2035 universal cylindrical grinder with 9" x 12" capacity, internal grinding attachment, s/n G200 35219

1997 CLAUSING/COLCHESTER MASTIF VS engine lathe with 23" swing, 63" between centers, DRO, s/n MSO294

OKAMOTO DX6-18 hydraulic surface grinder with wheel dresser, coolant, s/n 4843051

BROWN & SHARPE 618 TECHMASTER hydraulic surface grinder with OPTIDRESS optical wheel dresser, DRO

CINCINNATI 325-12 centerless grinder, s/n N/A

KELLENBERGER 600 U 20" x 18" cylindrical grinder, s/n 16111453

REID 618 manual surface grinder, s/n 350-412H74-0022

SANFORD 6" x 18" manual surface grinder, s/n 276742

BROWN & SHARPE 618 manual surface grinder

PARKER MAJESTIC internal grinder with 12" swing, s/n 1973-1666

WINSLOW HR drill point grinder, s/n 94700146-85

(2) SEC SG-6 cutter grinders, s/n 920002, 87602

(2) DECKLE SO tool grinders, s/n 9826619, 27040

SUNNEN MBB1650 hone, s/n 53382

SUNNEN MBB1660 hone, s/n 43889


SUNNEN MBB1600 hone, s/n 87794



CLAUSING/COLCHESTER MASTIF VS engine lathe



OKAMOTO DX6-18 hydraulic surface grinder



BROWN & SHARPE TECHMASTER 618 hydraulic surface grinder



CLAUSING/KONDIA CNC vertical turret mill



PARAGON GU2035 universal cylindrical grinder



WINSLOW HR drill point grinder

MACHINE SHOP EQUIPMENT, continued

(6) HARDINGE HLV-H precision lathes with 11" swing, 36" bed, 1½" bar capacity, 230-3,500 RPM, s/n 15654-T, 15615-T, N/A, 13751-T, 14771-T, N/A

HARDINGE ALV-H precision lathe with 11" swing, 36" bed, 1½" bar capacity, 230-3,500 RPM, s/n 15423-T

(11) HARDINGE DV59 precision lathes with 9" swing, 36" bed, 1½" bar capacity, 230-3,500 RPM, s/n N/A, 19315-T, N/A, 1968-T, 19240-T, 12978-T, 19718-T, N/A, 19644-T, 19542-T, N/A

HARDINGE TFB-H precision lathe, s/n N/A

BRIDGEPORT ram type turret mill with 9" x 42" table, power draw bar, power table feed, DRO

LeBLOND 16" x 30" tool room lathe, s/n 2HC-701

SOLBERGA SE 2050 boc column drill with #2 MT, s/n 333 528

JONES & LAMSON EPIC 30E 30" optical comparators, s/n E42816

LeBLOND 18" x 30" tool room lathe, s/n 116 643

ARBOGA RLM 3512 3' radial arm drill, s/n 244896

INSPECTION

PMC 102E contour reader, s/n CR-4-C26-WW

PMC CR96E contour reader, s/n C150-20-05-05

WILSON 500 digital hardness tester, s/n 82944902

DORSEY BENCHMARK 16H 16" optical comparator, s/n 1448

DELAMR environmental chamber

LECO CM15 abrasive cut off

BUEHLER 10-1030 abrasive cut off

BUEHLER SAMPLMETZ abrasive cut off saw, s/n 44452C-137

CLARKE DOR-8 hardness tester, s/n 80259

WILSON 513 R hardness tester, s/n 80177407

(2) JONES & LAMSON EPIC 14T optical comparators

(2) JONES & LAMSON TC 14E optical comparators.



View of **HARDINGE** lathes



WILSON 500 hardness tester



JONES & LAMSON EPIC 14 optical comparator



JONES & LAMSON EPIC 30 optical comparator



GENIE Z30/20 boom lift



CLIFTON 3P-300 4 post hydraulic press



View of electric die trucks



DOALL C916 horizontal bandsaw

PROXY BIDDING
If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.



View of conveyors & loaders



View of Forklifts

BUEHLER 10-1030 abrasive cut off

CLARKE DOR-8 hardness tester, s/n 80259

WILSON 513 R hardness tester, s/n 80177407

(2) JONES & LAMSON EPIC 14T optical comparators

(2) JONES & LAMSON TC 14E optical comparators.

CLIFTON 3P-300 300 ton upacting hydraulic press, s/n 855

1997 DoALL C916 horizontal bandsaw, s/n 529-97375

LINDE V1252 250 AMP mig welder with wire fed cables & gun, s/n 879015023

LINCOLN IDEALARC R3R 400 AMP stick welder with cables & gun, s/n AC 409573



LOADRAIL 1 ton free standing crane system

This brochure is only a partial listing VISIT OUR WEBSITE FOR

MATERIAL HANDLING

NISSAN CRGH02 F35PV LPG forklift with 7,750 lb. capacity, 175" vertical lift, s/n 900216

NISSAN CRGCH02 F30V LPG forklift with 5,650 lb. capacity, 183" vertical lift, s/n 920344

NISSAN CPF02 LPG forklift with 5,100 lb. capacity, 187" vertical lift, side shift, s/n 022728

NISSAN KAPH02A25V LPG forklift with 5,000 lb. capacity, 128" vertical lift, side shift, s/n 900193

NISSAN CPJ02A25PV LPG forklift with 5,000 lb. capacity, 129" vertical lift, side shift, s/n 918271

NISSAN CPH01A15V LPG forklift with 3,000 lb. capacity, 106" vertical lift, s/n 920998



1997
RANSOHOFF washer & dryoff



2001
OBERLIN ORF 12 pressure filter



2003
View of **SULLAIR** LS 200 air compressors

NISSAN CPH01A15V LPG forklift with 3,000 lb. capacity, 106" vertical lift, s/n 001708

NISSAN RA01L15V electric forklift with 2,200 lb. capacity, 159" vertical lift, side shift, s/n 001867



2003
VIBRA VF 18B vibratory finishing machine



2003
SULLAIR SR1400 air dryer



View of vibratory bowl feeders



2003
CLARKE 6700 LPG floor scrubber



100 HP
GARDNER DENVER ELECTRASAVER II air compressor

NISSAN CPJ01A15PV LPG forklift with 2,500 lb. capacity, 187" vertical lift, side shift, s/n 913298

NISSAN CPH01A15V LPG forklift with 1,750 lb. capacity, 188" vertical lift, s/n 920736

(2) MITSUBISHI PMW20 4,000 lb. electric pallet lifts, s/n 27045, 27374

(6) BIG JOE 1,500 lb. electric die trucks, s/n 47955, 349143, 59435, 348797, 370350, 60363

BIG JOE 7,650 lb. electric die trucks

1999 GENIE Z30/20 500 lb. boom lift, s/n 3148

1992 SKYJACK 3015 platform lift with 500 lb. capacity, s/n 15292

(2) PRIME MOVER PMX electric pallet lifts with 4,500 lb. capacity, s/n PMX 2239932, PMX 002 6094008

ROBBINS & MYERES 5 ton single girder bridge crane with 20' span

ROBBINS & MYERES 5 ton single girder bridge crane with 30' span

LOADRAIL 1 ton free standing bridge & hoist system with 18' span, 15' runway

UPRIGHT SL14 platform lift with 550 lb. capacity, s/n 1054

FACTORY EQUIPMENT

1997 RANSOHOFF 2 stage auger type automatic parts washer with belt type dry off, s/n 3094

VIBRA VF18B vibratory finishing machine with 70" dia. bowl, s/n 18366

MAKENZIE chip separator, s/n 1-2523

OBERLIN OPF 4 pressure filter, s/n 221-MO

GARDNER DENVER ELECTRASAVER II 100 HP rotary screw air compressor, s/n 1023628

(3) 2003 SULLAIR LS200 100 HP rotary screw air compressors, s/n 003-126959, 003-134127, 003-134128

2003 SULLAIR SR1400 air dryer, s/n 258 1700001

(3) ADVANCE CONVERTAMAX floor scrubbers

CLARKE 6700 LPG floor scrubber, s/n 6700-67

HERCULES 2,000 lb. tippers

(3) JET 2 HP dust collectors,

2003 UNITED AIR SE600 dust collector, s/n 600 52893

TORIT VS 200 dust collector

2003 UNITED AIR VCC 1500 dust collector, s/n 600 55431

ALSO: adjustable pallet racking, shelving, tool cabinets, tooling, work benches, large selection of office furniture, etc.

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:
2 St. Clair Ave. W., Suite 1002, Toronto,
Ontario, Canada M4V 1L5
Tel: (416) 962-9600 • Fax: (416) 962-9601
Email: info@corpassets.com
Web: www.corpassets.com
Toronto - Montreal - Chicago

UPCOMING AUCTIONS

Tuesday, July 11, 2006, 10:30 A.M.
Van Der Zwaag Moulds & Dies, Inc.
Waterloo, Ontario

Thursday, August 17, 2006
10:30 A.M.
Reliable Tool & Machine
Hamilton, Ontario

Wednesday, September 13
& Thursday, September 14, 2006
Waltec Forgings Inc.
& Waltec Engineering Inc.
Wallaceburg, Ontario
Multi-Million Dollar 2 Day Auction Sale
3 Plants
Late Model Forging Press & Machining Tools, Etc.

This brochure is only a partial listing
VISIT OUR WEBSITE FOR MORE DETAILED
LISTINGS AND PHOTOS
www.corpassets.com

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

Corporate Assets Inc. License #600
Wayne Thorne License #867
John Sharpe License Pending
John Michelini License Pending

INSPECTION

Monday, July 24th, 2006, 8:00 A.M. to 5:00 P.M.

DIRECTIONS

From Memphis International Airport, Memphis, Tennessee: Take I-55 South approximately 86 miles to Exit 206 MS-7 South. Proceed approximately 30 miles, then take US-82 West approximately 54 miles. Turn right on MS-1 North (Dr. Martin Luther King Jr. Boulevard), proceed for approximately 2 miles to North Theobald Street and turn right. Plant will be approximately .5 mile on the right. Allow 3 hours driving time.

ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at www.corpassets.com

PAYMENT

The purchase price must be paid in full before or immediately after the conclusion of the auction. All payments shall be by way of wire transfer, certified check, bank draft, or a company check accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following

MEMBER IN GOOD STANDING:



Please visit our website at www.corpassets.com for a Pre-Registration Form

format: NAME OF BANK hereby guarantees irrevocable payment of checks payable to Corporate Assets Inc. up to AMOUNT IN WORDS & CURRENCY for purchases made by our client NAME OF CLIENT. This letter is valid for purchases made at the auction of NAME OF AUCTION being held in CITY, STATE/PROVINCE on DATE. Payments may be made in advance of the auction via wire transfer and any balance in excess of the balance owing will be refunded after the auction. The Auctioneer reserves the right to put articles back up for auction if a deposit is not received at or before the time of sale. A Buyer's Premium will apply at this sale.

REMOVAL

All small items must be removed by 3:30 P.M. Thursday, July 27th, 2006. All remaining items by Friday, September 15th, 2006. NO EXCEPTIONS!

TERMS OF SALE

Corporate Assets Inc. assumes no liability for errors or omissions on the brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All items subject to prior sale.

APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Inc.


- We will appraise one machine or your complete plant
- Going concern, fair market, or liquidation values

We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment. Call us in complete confidence today with your requirements.

Toronto: (416) 962-9600
Fax: (416) 962-9601
Email: appraisals@corpassets.com
Toronto - Montreal - Chicago

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:
2 St. Clair Ave. W., Suite 1002,
Toronto, Ontario, Canada M4V 1L5
Tel: (416) 962-9600
Fax: (416) 962-9601
Email: info@corpassets.com
Web: www.corpassets.com
Toronto - Montreal - Chicago



CORPORATE ASSETS INC

CORPORATE ASSETS INC.

P.O. Box 20071
Portland, Oregon 97294-0071

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 305